

# TENDER DOCUMENTS

**Procurement Linen Ware & Towels** 

IC / SCM / Procurement of Linen ware & Towels 2025/26 /

TD-26

### TENDER NOTICE

### **Islamabad Club (IC)**

### IC / SCM / Procurement of Line ware & Towels/ 2025/26 / TD-26

- 1. Sealed bids are invited from Government / FBR Registered Firms for the Procurement of Linen Ware & Towels for IC on **FOR Basis**.
- Bidding documents containing detailed terms & condition for submission of bids, method of procurement (Single Stage Two Envelopes), eligibility etc. are available for registered bidders on EPADS. Quotations shall be submitted as per requirement of the tender documents.
- 3. **Tender Documents** can be downloaded from **IC/EPADS** websites and Bids will be submitted as per requirements mentioned in the tender documents. Bid will be submitted through EPADS and bidders will submit their original CDR of 3% of quoted amount in the favor of Islamabad Club-----.
  - 4. Submit Rs 5000/- as Tender fee in favor of IC (Faysal Bank, Tendering and Contracts, A/C #) attach bank receipt with technical offer. Offers will not be entertained without payment of processing fee.
  - 5. Details for Submission & Opening of bids for tender are as under:-

Ser	Description	Bank Account Details	Tender Fee	<u>Tender</u> <u>Submission</u>	Tender Opening
a.	IC / SCM / Procurement of Line ware & Towels/ 2025/26 / TD-26	Faysal Bank, Tendering and Contracts, A/C # PK81FAYS0001132031116145	5,000	1200 Hrs Date 19/11/2025	1230 Hrs 19/11/2025

#### Note: -

Tender fee in shape of Deposit Slip/Online Submission will be acceptable.

Offer will not be entertained without payment of tender fee.

#### Supply Chain Management Office (Purchase Office)

(ISLAMABAD CLUB)

Add: faisal.khan@lslamabadclub.org.pk
Phone: 051-9046000, Ext: 174

# **Compliance – Check List**

Offer must be quoted and arranged in accordance with below mentioned sequence. Non- compliance & non-provision of following documents may lead to disqualification.

_	Paguirod Particulars	Documents	Attached
Sr.	Required Particulars	Yes / No	Page #
1.	Tender Fee Original Receipt (Rs 5,000/-)		
2.	NTN & GST Registration , Must be ATL		
3.	All Annexures & Special Conditions Compliance Note: All annexures must be as per given format.		
4.	Original bid security 3 <mark>%</mark> of quoted amount		
5.	Complete Tender Document duly signed and stamped each page		
6.	Non-Blacklisting Certificate (Judicial Paper)		
7.	Firm's Complete details (address, contacts & email)		
8.	Must provide required samples at the time of Bid Opening		

### ISLAMABAD CLUB

### **Tender Documents**

- 1. ISLAMABAD CLUB desires to procure item(s) / Store(s) on FOR Basis as per Annexure-A. Interested bidders are requested to upload their bids on EPADS & also submit a hard copy of the same documents in manual at ISLAMABAD CLUB Purchase Office under "Single Stage Two Envelopes", procedure latest by or before due date mentioned in the advertisement.
- Conditions Governing Contracts. The contract made as result of this tender document will be in accordance with the draft contract published on ISLAMABAD CLUB website and other special conditions (Mentioned in this document) that may be added to given contract for the Fabrication of Uniform.
- 3. Participating of Tender. The offer is to be submitted as under:
  - a. The bid should contain Annexure-A A1, B duly filled in (supported with relevant details).
- Validity of Offer. The validity period of quotations must be indicated and should be 90 days from the date of opening of financial offer.
- 5. <u>Withdrawal of offer</u> If the firm withdraws its offer within validity period the competent authority may place such firm under embargo for a period, which may be extended up to one year. Moreover, the bid security of the firm will be confiscated.
- 6. **Documents & Eligibility.** Following information / copy of documents must be provided / attached with offer:
  - a. A copy of letter showing firm's financial capability.
  - b. NTN/GST number be mentioned on the offer and copy of registration certificate issued by sales tax department, attached.
  - Annexes A, A1, B and special conditions must be signed and stamped.
     Attach only relevant documents.
  - d. Complete all Annexes as per given format. Do not use your format or letter head.

Offer may be rejected if given format is not followed.

- e.Must be registered on Active Tax Payer List of FBR
- 7. <u>Disqualification.</u> Offers are liable to be rejected if:
  - a. Validity of offer is not quoted as required in tender documents.
  - b. Any deviation from the general/ special instruction.
  - c. Offers are found conditional or incomplete in any respect.
  - d. Offer is received after fixed date and time on EPADS.
  - e. Offers (financial/technical) containing non-signed & stamped unauthenticated amendments/ corrections/overwriting.

- f. If the offer is found to be based on cartel action in connivance with other sources/participants of the tender.
- g. Samples not provided at the time of opening.
- 8. <u>Bid Security</u> Financial offer must be accompanied with a bid security (CDR/Pay order/Bank draft) in agreement of faithful compliance of the conditions of Contract. This amount will be equivalent to 3% of the total quoted value. The bid security amount submitted by the successful bidder will however be refunded on effective termination of Contract. The bid security will be forfeited in case of default by the bidder from his commitments made through his offer. Submission of bid security is mandatory; otherwise your offer will be rejected. Bid security will be used as performance guarantee.

### 9. Return of Bid Security

- a. Bid security to the unsuccessful bidders will be returned on finalization of the most advantageous bidder.
- b. Bid security of the successful bidder/bidders will be returned as mentioned in clause 8 above.

### 10. Terms of Payment

### In FOR cases

- a. Payment shall be made after satisfactory delivery & acceptance of supply.
- b. No Advance payment shall be made.
- c. Deductions may apply for non-conforming items or short deliveries.
- 11. <u>Taxes/ Duties/ Custom clearance</u> All taxes /duties fee as applicable under government laws in Pakistan as well as country of supplier shall be on seller.
- 12. <u>Freight charges /Misc charges:</u> All charges such as packing, forwarding, local freight, loading and unloading, installation and commissioning, custom clearance, orientations, on job training or any other will be part of quoted price. Delivery till ISLAMABAD CLUB will be seller's responsibility and all associated costs will be part of quotation as well.
- 13. <u>Delivery Period.</u> Contracted Items will be delivered **30 days** after contract signing date. Deliveries must be accompanied authorized personnel.
- 14. <u>Scope of Delivery:</u> The bidder shall Deliver in **30 Days** after the Contract Signing as per quantities and types specified in Scope of Work in tender documents and contracts.
- 15. <u>Force Majeure.</u> If non-compliance with the period of delivery or services can be proved to be due to Force Majeure, such as but not limited to mobilization, war, riot, strike, lockout, pandemics/epidemics or the occurrence of unforeseen events, the period shall be reasonably extended.
- 16. **Subletting** Suppliers are not allowed to sublet wholly or part of the contract to any other firm /company. Firm found in breach of the clause will be dealt with as per purchaser's right and discretion.

#### 17. **Arbitration.** Will be as under: -

"All Claims, disputes, controversies, differences arising out of or in connection with this contract, including any question regarding its existence, validity, interpretation performance, breach or termination, shall be referred to and shall finally be solved by binding arbitration. An arbitration committee shall be constituted comprising Secretary Islamabad Club and two arbitrations to be nominated on mutual agreement by each party. The venue of the Arbitration shall be the place of issuance of this contract or as Secretary Islamabad Club may determine. In case of any difference, decision of the Administrator Islamabad Club shall be final and binding on both parties.

Provided that written record of any such arbitration and its award shall be arranged properly.

- 18. Redress of Grievance. In case of dispute, case shall be reviewed by Islamabad Club Redress of grievance committee and its decision shall be final and binding on both parties.
- 19. Requirement of Samples. Samples must be provided for evaluation by technical authorities User Department with technical offer duly marked & packed.
- 20 <u>Inspection /Testing of Delivery</u> Inspection & testing will be carried out at Islamabad Club by the concerned inspection team as detailed by the respective department in accordance with the laid down Acceptance criteria as provided in this document, Annexures & quantities given in purchase order.
- 21. <u>Checking of deliveries at Consignee/User End.</u> All deliveries will be inspected/checked at Consignee's end in the presence of the supplier's representative. If for some reason, the supplier decides not to nominate his representative for such checking, an advance written notice to this effect will be given by the supplier to the consignee prior to shipment of items. In such an event the supplier will clearly undertake that decision of consignee with regard to quantities and description of consignment will be taken as final and discrepancy found will be accordingly made up by supplier.
- 22. <u>Damage to Property/ Safety Rules.</u> The contractor/supplier must ensure strict adherence to safety protocols throughout the execution of the work. Any damage to Islamabad Club property resulting from contractor's negligence or misconduct shall be repaired or compensated at the contractor's expense.
- 23. **General Instructions:** Following must be noted:
  - a. The firm should provide point to point acceptance of each clause of tender documents and special instructions attached with tender documents.
  - b. Firm will render a certificate with technical offer that firm is neither defaulter nor blacklisted by any government / semi government organization directly or indirectly. (On Judicial Paper)
  - C. Rates should be quoted on free delivery basis at Islamabad Club, Islamabad.
  - d. The stipulated delivery period should be strictly adhered to. If the seller fails to deliver the required stores, the buyer will be at liberty to cancel the contract, and

/or procure the of stores from an alternate source, on the seller's "Risk & Cost/Expense". In that case, the seller will be bound to make payment to the new source through Islamabad Club. The purchaser's decision under this clause shall currency/execution/after placement if the firm is found to be involved in any dubious activity, litigation, lacking to meet contractual obligations with the purchaser or is blacklisted with any other public procurement agency. No claims / loss /damage of whatsoever nature shall be entertained and Islamabad Club's NOT be subjected to arbitration.

- e. Islamabad Club reserves the right to cancel the contract without assigning any reason whatsoever during its decision in this regard will be final / binding on the seller.
- f. An appropriate amount may be paid for mobilization against CDR/DD/Pay Order.
- g. Firms with previous pending/outstanding projects/business and unsatisfactory performance with Islamabad Club may not be considered for award of any further business.
- h. Most Advantageous Bidder must send their authorized representatives (with authorization letter) for signing of the contract within three days of sharing of the draft contract.
- For technical opening firm will send a representative who has knowledge about the quoted items otherwise representative will not be allowed to sit in tender opening.
- j. Samples shall be duly marked and packed will be Evaluated by the Technical Evaluation Committee.
- k. Tender will be awarded on package deal basis.

### **Technical Specifications**

### IC / SCM / Procurement of Line ware & Towels/ 2025/26 / TD-26

				Bidder Compliance
SR	Specification	Quality	Quantity	YES NO
1	Bed Sheet (DBL) 100"x110" PURE WHITE	1. "Bed Sheet Double 100"x110"  Double: Indicates it's a double bed size bed sheet.  100 x 110: This is the size in inches.  100 inches (width) × 110 inches (length) In centimeters: 254 cm × 279.4 cm  2. "Pure White Export quality"  Pure White: The color of the bed sheet.  Export quality: Implies high manufacturing standards suitable for international markets. Generally means:  Better stitching Stronger fabric No dye or printing defects Meets foreign buyer specifications  3. "PC 52:48"  PC stands for Polyester-Cotton blend.  52:48 means:  52% Polyester 48% Cotton This is a common blend offering good durability, wrinkle resistance, and breathability.  4. "40X40 / 100 X 80"  This is the fabric construction detail, explained as:  a. 40 x 40: Yarn count (warp x weft)	400 Nos	
		<ul> <li>Both warp and weft yarns are 40s (Ne 40), which is a fine yarn.</li> <li>Higher numbers = finer yarn</li> </ul>		

		9 (40-2)		
		<ul> <li>"40s" means the yarn is relatively fine and lightweight.</li> <li>b. 100 x 80: Thread density per square inch</li> <li>100 threads per inch in warp (length)</li> <li>80 threads per inch in weft (width)</li> </ul>		
		This gives a thread count of 180, which is decent for export-quality fabric.		
	Duvet Cover (DBL) 95"x105" 15" PC INSIDE FOLD YARN IN LINING WHITE	Duvet Cover 95"x105" White Export quality  1. Size: 95" x 105"  • Duvet cover dimensions:		
2		<ul> <li>White: The duvet cover is solid white.</li> <li>With IC logo: The "IC logo" is likely a printed or embroidered company logo or brand mark.         <ul> <li>May be placed on a visible corner, center, or tag—depends on design.</li> </ul> </li> <li>Export quality: Indicates it's made to international quality standards:         <ul> <li>Neat stitching</li> <li>No fabric flaws</li> <li>Proper finishing (folds, hems, labeling)</li> <li>Likely packed and presented professionally</li> </ul> </li> </ul>	40 Nos	
		3. PC 52:48  • PC = Polyester-Cotton Blend • 52:48 = 52% Polyester, 48% Cotton • Benefits: • Polyester adds durability, wrinkle resistance		

		- C ( 11 h		
		<ul> <li>Cotton adds breathability and comfort</li> </ul>		
		4. 40X40 / 100 X 80		
		This is the <b>fabric construction</b> , broken into two parts:		
		Term Meaning		
		40X40 Yarn count for both warp and weft is 40s – relatively fine yarn		
		100 x 80  Thread density: 100 threads (warp) × 80 threads (weft) per inch		
		Total Thread 180 TPI (threads per inch) – medium-high quality for durable bedding		
		<u>10" Fold –</u>		
		The 10-inch fold refers to the envelope or flap closure at the ope end of the duvet cover.	<u>1</u>	
		end of the duver cover.		
		This flap helps to:		
		<ul> <li>Secure the duvet inside</li> <li>Prevent it from sliding out</li> </ul>		
		Avoid the need for buttons or zippers		
	Duvet Cover	DUVET COVER - SPECIFICATION BREAKDOWN		
	(SGL) 80"x90" Pure	1. Size: 80" x 90"		
	white lining	• Width: 80 inches (≈ 203 cm)		
	15" PC	● <b>Length</b> : 90 inches (≈ 229 cm)		
	INSIDE FOLD	2. Color & Branding		
	YARN IN			
3	LINING	White: Plain white fabric (clean, hotel-style, or minimalist look).	80 Nos	
	WHITE	3. Export Quality		
		Indicates the diviet cover is made to international standards:		
		<ul> <li>Indicates the duvet cover is made to international standards:</li> <li>Good stitching &amp; seam strength</li> </ul>		
		O High-quality finishing		
		<ul> <li>No fabric flaws or dye issues</li> <li>Typically used in hotels, exports, or branded retail</li> </ul>		
		FABRIC DETAILS		

		4. PC 52:48  • PC = Polyester-Cotton blend
		• 52:48 = 52% Polyester, 48% Cotton  ○ Polyester adds strength, wrinkle resistance, and durability.  ○ Cotton adds softness, breathability, and comfort.  ○ ∜This is a very common and durable blend used for hotel-grade and export-quality bedding.
		5. 40X40 / 100 X 80
		This is the <b>construction</b> of the fabric:
		Parameter  Explanation  40 x 40 Yarn count: 40s warp x 40s weft – indicates a fine and smooth yarn  Thread density: 100 threads per inch in warp (length), 80 in weft (width) = 180 TPI (Thread Per Inch)  Thread Total = 180 TPI, which is considered good quality for bedding used in exports or hospitality
		●   Soft, breathable, and strong enough for repeated use and washing.
		6. With 10" Fold
		<ul> <li>This refers to the envelope closure system used at the open end of the duvet cover:         <ul> <li>10-inch internal flap/fold helps secure the duvet inside without a zipper or buttons.</li> <li>It tucks the open end closed, preventing the insert from sliding out.</li> </ul> </li> </ul>
4	Pillow Cover 20"x30"x7" PURE WHITE 7" FOLD INSIDE BEDSHEET MATERIAL	Pillow Cover - Specification Breakdown  1. Material: White Bed Sheet Fabric  • The pillow cover is made using the same fabric as white bed sheets, which typically means:  • PC (Polyester-Cotton) blend, usually 52:48  • Yarn count like 40x40  • Thread density like 100x80 (180 thread count)  • This fabric is:  • Durable  • Soft  • Wrinkle-resistant  • Often used in hotels, hospitals, or export bedding sets

	2. Color: White		
	<ul> <li>Classic, clean, and versatile.</li> <li>Matches with most bedding and fits hospitality standards.</li> <li>3. 7" Fold</li> <li>This refers to the envelope-style closure on the pillow cover:  <ul> <li>There's a 7-inch internal flap or fold on the open side.</li> <li>Its purpose is to hold the pillow inside securely without using a zipper or buttons.</li> <li>Common in hotel-quality pillow covers for ease of use and durability.</li> </ul> </li> <li>4. Export Quality <ul> <li>Implies the product is made to international standards.</li> <li>Usually means:  <ul> <li>Precise stitching</li> <li>Strong seams</li> <li>Consistent sizing</li> <li>Defect-free finishing</li> <li>Good fabric quality (no pilling, accurate blends,</li> </ul> </li> </ul></li></ul>		
Bath Towel 27" x 54" PURE WHITE COLOUR 100% COTTON 5	even weaving)  Often used in:  Hotels  Bath Towel – Full Specification Breakdown  1. Size: 27" x 54"  Standard bath towel size  Width: 27 inches (≈ 69 cm)  Length: 54 inches (≈ 137 cm)  Commonly used in hotels, homes, and hospitality settings.  2. Color: White  Classic and neutral  Preferred for:  Hospitality (hotels, spas, hospitals)  Easy bleach cleaning  Clean, fresh appearance	500 Nos	

		3. Material: Ring-Spun 100% Cotton		
		100% Cotton:		
		4. Double Stitch Edging		
		Reinforced hem with double stitching on the towel edges:		
		6. Export Quality		
		Means the towel meets international quality standards:		
		<ul> <li>High GSM (typically 600 for export-grade towels)</li> <li>Colorfast and shrink-controlled</li> <li>Proper sizing and finishing</li> <li>No loose threads or defects</li> <li>Accurate stitching and edge finishing</li> <li>Ready for packing and bulk export</li> </ul>		
		Used in:		
		Hotels & resorts		
	Face Towel 20"X 35" PURE	Face Towel – Full Specification Breakdown  1. Size: 20" x 35"		
6	WHITE 400 GSM	<ul> <li>20 inches x 35 inches ≈ 50 cm x 89 cm</li> <li>This is a larger face towel (also called a hand towel in some markets).</li> <li>✓ Used for:         <ul> <li>Face drying</li> <li>Hair drying</li> </ul> </li> </ul>	500 Nos	

Cuest to male in botale announding	
o Guest towels in hotels, spas, salons	
2. Color: White	
<ul> <li>Classic white:         <ul> <li>Preferred for hospitality, medical, and spa use</li> <li>Easy to clean with bleach</li> <li>Shows cleanliness clearly</li> <li>Looks fresh and professional</li> </ul> </li> </ul>	
3. Material: Ring-Spun 100% Cotton	
<ul> <li>100% Cotton:         <ul> <li>No synthetic fiber—just natural cotton</li> <li>✓Soft, highly absorbent, and skin-friendly</li> </ul> </li> <li>Ring-Spun Cotton:         <ul> <li>Cotton yarn made by tightly twisting long and short fibers</li> <li>Result: Stronger, smoother, and more durable fabric</li> <li>Higher-end than open-end yarns</li> </ul> </li> <li>Ideal for luxury or export-grade towels</li> </ul>	
4. Double Stitch Edging	
<ul> <li>Double-stitched hem along all towel edges         <ul> <li>Prevents fraying and edge curling</li> <li>Adds durability during industrial laundry or repeated use</li> </ul> </li> <li>✓Required in hotel- and export-quality standards</li> </ul>	
6. Export Quality	

		Means the product is manufactured to meet international market standards, such as:  • High GSM (grams per square meter) – typically around 400 for towels • Consistent sizing, no defects, and clean finishing • Shrinkage controlled • Colorfast and long-lasting • Strong seams and uniform stitching • Complies with bulk export packaging and labeling requirements		
	Bath Mat 20"x30" PURE WHITE 100% COTTON 400 GSM	Bath Mat – Specification Explained  1. Size: 20" x 30"   • Dimensions:  ○ 20 inches x 30 inches ≈ 50 cm x 76 cm  • ✓ Standard bath mat size, ideal for:  ○ Placing outside a shower or bathtub  ○ Absorbing water and preventing slips  ○ Single-user use in hotels, homes, and spas		
7		Classic white is:     Clean, neutral, and easy to bleach     Common in hotels, spas, hospitals, and export markets     Helps visibly maintain hygiene standards	500 Nos	
		<ul> <li>3. Material: Ring-Spun 100% Cotton</li> <li>100% Cotton:         <ul> <li>Natural fiber—highly absorbent, soft, and durable</li> </ul> </li> <li>Ring-Spun Cotton:         <ul> <li>Made by tightly twisting long and short cotton fibers</li> <li>Results in:                 <ul> <li>Stronger, more durable yarn</li> <li>Softer and smoother finish</li> </ul> </li> </ul> </li> </ul>		

4. Double Stitch Edging  Reinforced edges stitched twice for durability:  Prevents fraying, especially after repeated washing  Keeps the mat's shape intact  Critical for hospitality and export-grade products  Improves lifespan, especially for commercial laundry cycles  6. Export Quality  Indicates the product meets international manufacturing and quality standards, including:  Consistent sizing  No defects in stitching or fabric  High GSM (grams per square meter) – thicker, heavier for bath mats 400 (GMS)  Shrinkage control  Colorfastness (no fading or discoloration)  Proper finishing and packaging  Suitable for export to foreign buyers, wholesalers, hotels, or retail chains	○ Better quality than open-end cotton     ◆ ✓Ideal for bath mats because it absorbs water well while staying soft underfoot		
Indicates the product meets international manufacturing and quality standards, including:  Consistent sizing No defects in stitching or fabric High GSM (grams per square meter) – thicker, heavier for bath mats 400(GMS) Shrinkage control Colorfastness (no fading or discoloration) Proper finishing and packaging Suitable for export to foreign buyers, wholesalers, hotels, or	Reinforced edges stitched twice for durability:     ○ Prevents fraying, especially after repeated washing     ○ Keeps the mat's shape intact     ○ Critical for hospitality and export-grade products      ✓Improves lifespan, especially for commercial laundry		
<ul> <li>No defects in stitching or fabric</li> <li>High GSM (grams per square meter) – thicker, heavier for bath mats 400(GMS)</li> <li>Shrinkage control</li> <li>Colorfastness (no fading or discoloration)</li> <li>Proper finishing and packaging</li> <li>Suitable for export to foreign buyers, wholesalers, hotels, or</li> </ul>	Indicates the product meets international manufacturing and quality		
	<ul> <li>No defects in stitching or fabric</li> <li>High GSM (grams per square meter) – thicker, heavier for bath mats 400(GMS)</li> <li>Shrinkage control</li> <li>Colorfastness (no fading or discoloration)</li> <li>Proper finishing and packaging</li> <li>Suitable for export to foreign buyers, wholesalers, hotels, or</li> </ul>		

Firm Name:	
Signature:	
Name:	
Designation:	

## **Necessary to Fill Completely**

### Fill in following essential Parameters: -

1.	Validity of Offer	Days (Should not be less than	90 days)	
2.	Delivery period	Days (After placement of order)		

#### General: -

1.	GST Number	Enclose Copy
2.	NTN / CNIC	if exempted, provide valid exemption certificate

### Payment Terms (In continuation of Tender Document clause 12): -

		0
ın	F()K	Cases

- a. Payment shall be made after satisfactory delivery & acceptance of supply.
- b. No Advance payment shall be made.
- c. Deductions may apply for non-conforming items or short deliveries.

Samples must be properly presented Name and number of Focal Person

**Bank Details for confirmation of Earnest Money** 

## FINANCIAL OFFER

### IC / SCM / Procurement of Line ware & Towels/ 2025/26 / TD-26

Ser	Item	Specification	Qty Req	Unit Price PKR (Including Tax)	Total Price PKR (Including Tax)
1	Bed Sheet (DBL) 100"x110" PURE WHITE	1. "Bed Sheet Double 100"x110"  Double: Indicates it's a double bed size bed sheet.  100 x 110: This is the size in inches.  100 inches (width) × 110 inches (length)  In centimeters: 254 cm × 279.4 cm  2. "Pure White Export quality"  Pure White: The color of the bed sheet.  Export quality: Implies high manufacturing standards suitable for international markets. Generally means:  Better stitching  Stronger fabric  No dye or printing defects  Meets foreign buyer specifications  3. "PC 52:48"  PC stands for Polyester-Cotton blend.  52:48 means:  52% Polyester  48% Cotton  This is a common blend offering good durability, wrinkle resistance, and breathability.  4. "40X40 / 100 X 80"	400 Nos		

		<u> </u>		1
		This is the <b>fabric construction detail</b> , explained		
		as:		
		a. 40 x 40: Yarn count (warp x weft)		
		Both warp and weft yarns are 40s		
		(Ne 40), which is a <b>fine yarn</b> .		
		O Higher numbers = finer		
		yarn		
		o "40s" means the yarn is		
		relatively fine and		
		lightweight.		
		b. 100 x 80: Thread density per square inch		
		• 100 threads per inch in warp		
		(length)		
		• 80 threads per inch in weft (width)		
		• This gives a <b>thread count of 180</b> ,		
		which is decent for export-quality		
		fabric.		
	Duvet Cover (DBL)	Duvet Cover 95"x105" White Export		
	95''x105" 15" PC INSIDE	quality		
	FOLD YARN IN LINING	1. Size: 95" x 105"		
	WHITE	1. Size: 95 X 105		
		<ul> <li>Duvet cover dimensions:</li> </ul>		
		○ Width: 95 inches (≈		
		241 cm)		
		○ <b>Length</b> : 105 inches ( $\approx$		
		267 cm)		
		Suitable for queen or king-size		
2		duvets, depending on regional	40 Nos	
		sizing.		
1				
		2 Calan & Duan dina		
		2. Color & Branding		
		White: The duvet cover is solid		
		white.		
		• With IC logo: The "IC logo" is		
		likely a printed or embroidered		
		company logo or brand mark.		
	i .			l

O May be pla	
visible cor	
or tag—de	pends on
design.  • Export quality: Indi	cotos it's
made to international	
standards:	. 1
o Neat stitch	
O No fabric f	
O Proper fini hems, labe	shing (folds,
O Likely paci	
presented	
professiona	ally
<u>Fabric Details:</u>	
2 PG 52 40	
3. PC 52:48	
PG P1 4 G4	n a
• PC = Polyester-Cot	
• 52:48 = 52% Polyest Cotton	er, 48%
O Benefits:	
	Polyester
	dds
	lurability, vrinkle
	esistance
	Cotton adds
ŀ	preathability
a	nd <b>comfort</b>
4. 40X40 / 100 X 80	
This is the fabric construction	hroken into
This is the <b>fabric construction</b> two parts:	i, dioken into
Con parts	
Term	Meaning
Yarn cour	nt for both warp and weft is 40s –
relatively f	ine yarn
threads (w	ensity: 100 threads (warp) × 80 eft) per inch
Total Thread 180 TPI (the Count for durable	nreads per inch) – medium-high quality
10" Fold –	, 20009
The 10-inch fold refers to the	ne envelope
I he 10-inch fold refers to t	ne envelope

			-	
	or flap closure at the open end of the duvet cover.			_
	<ul> <li>This flap helps to:         <ul> <li>Secure the duvet inside</li> <li>Prevent it from sliding out</li> </ul> </li> <li>Avoid the need for buttons or zippers</li> </ul>			
	buttons of Zippers			
Duvet Cover (SGL) 80"x90" Pure white lining	DUVET COVER - SPECIFICATION BREAKDOWN			
15" PC INSIDE FOLD YARN IN LINING WHITE	1. Size: 80" x 90"			
	<ul> <li>Width: 80 inches (≈ 203 cm)</li> <li>Length: 90 inches (≈ 229 cm)</li> </ul>			
	2. Color & Branding			
	<ul> <li>White: Plain white fabric (clean, hotel- style, or minimalist look).</li> </ul>			
	3. Export Quality			
3	Indicates the duvet cover is made to international standards:  Good stitching & seam strength High-quality finishing No fabric flaws or dye issues Typically used in hotels, exports, or branded retail	80 Nos		
	FABRIC DETAILS			
	4. PC 52:48			
	<ul> <li>PC = Polyester-Cotton blend</li> <li>52:48 = 52% Polyester, 48% Cotton</li> <li>Polyester adds strength,</li> </ul>			
	wrinkle resistance, and durability.  Cotton adds softness,			
	breathability, and comfort.  This is a very common and durable blend used for hotel-			

			grade and export-quality		
		1	bedding.		
		5. 40X40 / 100 X 80			
			64 64 :		
		This is the <b>construction</b> of	of the fabric:		
		Parameter	Explan	ation	
			•	dicates a fine and smooth yarn	
			·	<u> </u>	
				in warp (length), 80 in weft	
			= 180 TPI (Thread Per Inch)		
				good quality for bedding used in	
		Count exports	or hospitality		
			hable, and strong enough for		
		repeated use	and washing.		
		6. With 10" Fold			
			the envelope closure system		
		-	pen end of the duvet cover:		
			10-inch internal flap/fold		
			helps secure the duvet inside		
			without a zipper or buttons.		
			It tucks the open end closed,		
			preventing the insert from sliding out.		
		'	sharing out.		
	Pillow Cover	Pillow Cover	r - Specification		
	20"x30"x7" PURE WHITE		akdown		
		Die	unaVIII		
	7'' FOLD INSIDE				
	BEDSHEET MATERIAL	1. Material: White	Bed Sheet Fabric		
	DEDSITEET MATERIAL				
			v cover is made using		
			fabric as white bed		
			nich typically means:		
4			PC (Polyester-Cotton)	500 Nos	
			blend, usually 52:48		
			Yarn count like 40x40		
			Thread density like		
			<b>100x80</b> (180 thread		
			count)		
		<ul> <li>This fabric</li> </ul>	c is:		
			Durable		
		_	Soft		
			Wrinkle-resistant		
1		0	vv i ilikie-resistant	I	

		Often used in <b>hotels</b> ,		
		hospitals, or export		
		bedding sets		
		2. Color: White		
		Classic, clean, and versatile.		
		<ul> <li>Matches with most bedding and fits hospitality standards.</li> </ul>		
		- same cooperatory statements.		
		3. 7" Fold		
		This refers to the <b>envelope-style closure</b> on the pillow cover:		
		<ul><li>There's a 7-inch</li></ul>		
		internal flap or fold on the open side.		
		<ul> <li>Its purpose is to hold</li> </ul>		
		the pillow inside securely without using		
		a zipper or buttons.  Common in <b>hotel-</b>		
		O Common in hotel- quality pillow covers		
		for ease of use and		
		durability.		
		4. Export Quality		
		Implies the product is made to		
		international standards.		
		<ul><li>Usually means:</li><li>Precise stitching</li></ul>		
		<ul> <li>Strong seams</li> </ul>		
		<ul><li>Consistent sizing</li><li>Defect-free finishing</li></ul>		
		<ul> <li>Good fabric quality</li> </ul>		
		(no pilling, accurate blends, even weaving)		
		Often used in:		
		o Hotels		
	Bath Towel 27" x 54"	Bath Towel - Full Specification		
5	PURE WHITE COLOUR	<u>Breakdown</u>	500 Nos	
	100% COTTON	1. Size: 27" x 54"	2001105	

600 GSM	<ul> <li>Standard bath towel size         <ul> <li>Width: 27 inches (≈ 69 cm)</li> <li>Length: 54 inches (≈ 137 cm)</li> </ul> </li> <li>✓Commonly used in hotels, homes, and hospitality settings.</li> <li>Color: White</li> </ul>		
	<ul> <li>Classic and neutral</li> <li>Preferred for:         <ul> <li>Hospitality (hotels, spas, hospitals)</li> <li>Easy bleach cleaning</li> <li>Clean, fresh appearance</li> </ul> </li> </ul>		
	3. Material: Ring-Spun 100% Cotton		
	No polyester or synthetic blends     ✓ Very absorbent, soft, and comfortable for skin      Ring-Spun Cotton:		
	Reinforced hem with double stitching on the towel edges:     ○ Prevents fraying     ○ Increases durability     ○ Maintains shape after repeated washing     ✓ Important for export and hotel-grade towels		
	6. Export Quality		

	Means the towel meets international quality standards:  • High GSM (typically 600 for export-grade towels) • Colorfast and shrink-controlled • Proper sizing and finishing • No loose threads or defects • Accurate stitching and edge finishing • Ready for packing and bulk export  Used in: • Hotels & resorts		
Face Towel 20"X 35" PURE WHITE 400 GSM	Face Towel - Full Specification Breakdown  1. Size: 20" x 35"  • 20 inches x 35 inches ≈ 50 cm x 89 cm • This is a larger face towel (also called a hand towel in some markets). • ✓ Used for:	500 Nos	

<ul> <li>Shows cleanliness clearly</li> <li>Looks fresh and professional</li> </ul>
3. Material: Ring-Spun 100% Cotton  • 100% Cotton:
• 100% Cotton:  ○ No synthetic fiber—  just natural cotton  ○ ◇ Soft, highly  absorbent, and skin- friendly
<ul> <li>Ring-Spun Cotton:         <ul> <li>Cotton yarn made by tightly twisting long and short fibers</li> <li>Result: Stronger, smoother, and more durable fabric</li> <li>Higher-end than</li> </ul> </li> </ul>
open-end yarns  • Ideal for luxury or export- grade towels
4. Double Stitch Edging
Double-stitched hem along all towel edges     Prevents fraying and edge curling     Adds durability     during industrial laundry or repeated use
◆ ≪Required in hotel- and export-quality standards

	Ī	1		
		6. Export Quality  Means the product is manufactured to meet international market standards, such as:  • High GSM (grams per square meter) – typically around 400 for towels • Consistent sizing, no defects, and clean finishing • Shrinkage controlled • Colorfast and long-lasting • Strong seams and uniform stitching • Complies with bulk export packaging and labeling requirements		
7	Bath Mat 20"x30" PURE WHITE 100% COTTON 400 GSM	Bath Mat – Specification Explained  1. Size: 20" x 30"  • Dimensions:	500 Nos	
		2. Color: White  Classic white is: Clean, neutral, and easy to bleach		

<ul> <li>Common in hotels, spas, hospitals, and export markets</li> <li>Helps visibly maintain hygiene standards</li> </ul>		
3. Material: Ring-Spun 100% Cotton		
<ul> <li>100% Cotton:         <ul> <li>Natural fiber—highly absorbent, soft, and durable</li> </ul> </li> </ul>		
<ul> <li>Ring-Spun Cotton:         <ul> <li>Made by tightly twisting long and short cotton fibres</li> <li>Results in:</li> </ul> </li> </ul>		
<ul> <li>Stronger, more durable yarn</li> <li>Softer and smoother finish</li> </ul>		
<ul> <li>○ Better quality than open-end cotton</li> <li>◆ ✓Ideal for bath mats because it absorbs water well while staying soft underfoot</li> </ul>		
4. Double Stitch Edging		
Reinforced edges stitched twice for durability:     ○ Prevents fraying,     especially after repeated washing     ○ Keeps the mat's shape intact     ○ Critical for hospitality and export-grade products      ✓Improves lifespan, especially for commercial laundry cycles		

	6. Export Quality  Indicates the product meets international manufacturing and quality standards, including:  Consistent sizing No defects in stitching or fabric High GSM (grams per square meter) – thicker, heavier for bath mats 400(GMS) Shrinkage control Colorfastness (no fading or discoloration) Proper finishing and packaging Suitable for export to foreign buyers, wholesalers, hotels, or retail chains		
	TOTAL		

Firm Name: Signature:	-	
Name:	 <u>.</u>	
Designation:		

Tender No	
	Name of the Firm
	Firm Address
	Date
	Telephone No
	E-Mail
To,	
Procurement Consultant	

Procurement Consultant SCM Office ISLAMABAD

Dear Sir

- 1. I/We hereby offer to supply to the ISLAMABAD CLUB the stores detailed in schedule to the tender inquiry or such portion thereof as you may specify in the acceptance of tender at the price offered against the said schedule and further agree that this offer will remain valid up to 90 days after opening of Financial offer and will not be withdrawn or altered in terms of rates quoted and the conditions already stated therein or on before this date. I/we shall be bound by a communication of acceptance to be dispatched within the prescribed time.
- 2. I / we have understood the instructions to Tenders and General Conditions Governing Contract available at ISLAMABAD CLUB website and have thoroughly examined the specifications / drawing and / or patterns quoted in the schedule here to and am/are fully aware of the nature of the stores required and my/ our offer is to supply stores strictly in accordance with the requirements. Yours Faithfully.

(Signature of Tenderer) Designation

Date:

Individual signing tender and / or other documents connected with a contract must be signed by principal authorized rep.

### **CHECK LIST**

#### (This checked list must be attached with your technical offer, duly filled and Signed by authorized signatory)

Tender No Date Tender Fee a. Tender fee ref no b. Bank **C**. Amount 2 **Bid Security** a. Bid Security Ref no b. Bank Form Annex A, B signed by Authorized Signatory 3 Yes No Offering specification of items as per tender documents 4 Yes No Quoted Currency as per tender documents 5 Yes No Accounting unit/Qty as per tender documents 6 Yes No Delivery Schedule as per tender documents Yes No Certified that there is no Deviation from tender documents conditions/ there is deviation from Yes No 8 tender documents condition as per following details. Yes Blacklisting certificate. No

Note: Fill and/or mark Yes/No where required.

Signature of Firm Auth Signatory

# **UNDERTAKING**

It is hereby st	ated and affirmed on oath that M/s	(the bidder) is not a m	ember or	
Administrator	of any other company which is participating in the	present tender for		
		opened on	DD-MM-	
YYYY, or other	erwise no Administrator or employee of the compa	ny participating in the bidding proc	cess is directly	
or indirectly in	n any manner whatsoever involved, associated in a	any other company / individual bus	iness which is	
bidding in the	present bidding process.			
It is understoo	od that the above information is correct and at any	stage in future if it is found / revea	aled that the	
information he	erein above is not correct, IC shall cancel the bid /	contract and the Earnest Money /	Security	
Deposit shall be forfeited by IC. Furthermore, the bidder will be blacklisted for participation against any other				
tenders.				
	Те	nderer's Signature		
Name in full Designation Address				
Phone / Fax # CNIC Seal Date	#			

### **Islamabad Club**

### **Format**

### **Bank Account Details**

SR. NO	BUSINESS NAME	ACCOUNT TITLE	ACCOUNT NUMBER	IBAN NUMBER	BANK NAME	WHATSAPP CONTACT NUMBER	OWNER NAME